




Crop Recommendation program| **Potato**

Fertigation



	Crop establishment	Sowing	Vegetative growth	Growth	Tuber initiation	Tuber growth	Maturation
Basal fertilization	NEOGEN 150-200 kg /stremma + VETO 10 – 10 – 15 150 kg /stremma						
Root development – Reducing stress during transplanting				VITAZYME 100 cc /replication every 3-4 weeks			
Fertilization with NPK				BEST 10-50-10 2-3 kg /stremma, 1-2 applications BEST 20-20-20, 3-5 kg /stremma, every 5-10 days BEST 9-15-27 3-5 kg /stremma, 2 applications			
Fertilization with Trace Elements				PHYTOPLEX SP 0,5-1 kg /stremma KEEPER L-88 500 cc /stremma, replication every 15 days			
Improvement of physical and biochemical soil properties				K-HUMATE 26 1 L /stremma, alternating with AMINOL ROOT 3-4 L, every 15 days SOL PRO 3-5 L / days, 2-3 applications			
Reduction of soil salinity				SALT MOVER 2-3 L /stremma, replications every 15 days			
Fertilization with Phosphorus & Potassium, Maturation				SOL PRO K 5 L /stremma. alternating with VETO 8-14-20 3-4 L /stremma, 2 applications			
Fertilization with Calcium & Magnesium Fruit quality improvement				SOL PRO CaO 3-5 L /stremma + NITROMAG 3-5 L /stremma, every 15 days NITROMAG 3-5 L, every 15 days			



Crop Recommendation program| **Potato**

Foliar applications



	Crop establishment	Sowing	Vegetative growth	Growth	Tuber initiation	Tuber growth	Maturation
Reducing stress			STIM 82 MGX 100 gr /100L, alternating with ALGA CREAM 250 cc /100L				
Fertilization with NPK			BEST 20-20-20 250-300 gr /100L, every 10-15 days		BEST 10-50-10 300-400 gr /100L	BEST 9-15-27 250-300 gr /100L, 2-3 applications	
Enhancement of flowering			VIOMIX ACTIVE 200 cc/100L + VIOMIX Zn 250 cc/100L, replication at each flowering				
Enhancement of fruit set			VIOMIX P-Ca 250 cc/ 100L, 2 applications CROP SET (IMPRO SET) 60 cc /100L ή NITROZYME 125 cc /100L, replication every 10-15 days				
Fertilization with Trace elements			VIOMIX SUPER 300 cc /100L, 2 applications KEEPER L-88 500 cc /stremma, replications every 15 days AGRO MOS (PRO CROP ISR) 100 cc /stremma, alternating with PRO CROP SHIELD 150 cc /100L				
Fertilization with Calcium & Magnesium			VIOMIX CaO-MgO 300 cc /100L, 2-3 applications VIOMIX MgO 300 cc /100L, 2-3 applications				
Fruit quality improvement			VIOMIX K 250 cc/ 100L or VOLUME 250 cc/ 100L, 2 applications				

*Seed production: Application at tuber initiation, 125 cc /100L, replication after 2 weeks.

*Potatoes: Application at early tuber growth 2,5-3 cm, 150 cc /100L, replication after 2 weeks.